

DATE MAILED: 11/03/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

PTO-90C (Rev. 10/03)

	Application No.	Applicant(s)
Office Action Summary	10/065,214	BANTING, MURRAY SINCLAIR
	Examiner	Art Unit
	Frederick L. Lagman	3673
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply		
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). - Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). Status		
1) Responsive to communication(s) filed on	·	
2a)⊠ This action is FINAL . 2b)□ Th	is action is non-final.	
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is		
closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213. Disposition of Claims		
4)⊠ Claim(s) <u>1 and 4-20</u> is/are pending in the application.		
4a) Of the above claim(s) is/are withdrawn from consideration.		
5)⊠ Claim(s) <u>4,5 and 12-20</u> is/are allowed.		
6)⊠ Claim(s) <u>1 and 6-8</u> is/are rejected.		
7)⊠ Claim(s) <u>9-11</u> is/are objected to.		
8) Claim(s) are subject to restriction and/or election requirement.		
Application Papers		
9) The specification is objected to by the Examiner.		
10) ☐ The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.		
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). 11) The proposed drawing correction filed on is: a) approved b) disapproved by the Examiner.		
If approved, corrected drawings are required in reply to this Office action.		
12) The oath or declaration is objected to by the Examiner.		
Priority under 35 U.S.C. §§ 119 and 120		
13) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).		
a) ☐ All b) ☐ Some * c) ☐ None of:		
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).		
* See the attached detailed Office action for a list of the certified copies not received.		
14) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).		
a) ☐ The translation of the foreign language provisional application has been received. 15)☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.		
Attachment(s)		
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449) Paper No(s)	5) Notice of Informal F	(PTO-413) Paper No(s) Patent Application (PTO-152)

Application/Control Number: 10/065,214

Art Unit: 3673

DETAILED ACTION

Claim Objections

Claims 8-11 are objected to because of the following informalities:
 as to claim 8, line 9, it appears that "reward" should be --rearward--;
 as to claim9, line 10, it appears that "configure" should be --configured--; and
 as to claim 11, line 10, it appears that "configure-- should be --configured--.
 Appropriate correction is required.

Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 3. Claims 1 and 6-8 are rejected under 35 U.S.C. 102(e) as being anticipated by Ferraiolo #6,296,422. Ferraiolo discloses a retaining wall system comprising at least one wall section comprising a base 301 and a retaining face 101 and a hinge (defined by bend lines) connecting the base to the retaining face. The retaining face includes an open grid pattern and reinforcing ribs 4. Such open grid pattern provides holes at top, bottom, and sides which would allow connection to adjacent wall sections via fasteners.

Allowable Subject Matter

4. Claims 4, 5, and 12-20 are allowed.

Application/Control Number: 10/065,214 Page 3

Art Unit: 3673

5. Claims 9-11 are objected to as stated above, but would be allowable upon appropriate correction.

Response to Arguments

6. Applicant's arguments filed 7/13/03 with respect to claims 1, 6, 7, and 8 have been fully considered but they are not persuasive. Ferraiolo, col. 3, lines 27-35, discloses reinforcing ribs 4 within the open grid pattern to provide reinforcement. The open grid pattern of Ferraiolo inherently has "holes" or "openings" which allow for attaching of fasteners such as staples to allow for connection of adjacent sections, see col. 4, lines 34-37. Furthermore, Ferraiolo discloses a sheet of material 6 capable of extending rearward away from the front of the base to facilitate stabilization of the retaining wall.

Conclusion

- 7. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Hilfiker '686 discloses the use of fasteners 22 for connecting adjacent sections of a retaining wall, the sections having "holes" for allowing connection of the fasteners. Hilfiker '939 also discloses the use of sheets of material 26 to facilitate stabilization of a retaining wall.
- 8. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within

Application/Control Number: 10/065,214

Art Unit: 3673

TWO MONTHS of the mailing date of this final action and the advisory action is not

mailed until after the end of the THREE-MONTH shortened statutory period, then the

shortened statutory period will expire on the date the advisory action is mailed, and any

extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of

the advisory action. In no event, however, will the statutory period for reply expire later

than SIX MONTHS from the mailing date of this final action.

9. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Frederick L. Lagman whose telephone number is 703-

305-7456. The examiner can normally be reached on Monday-Friday 9:00am to

5:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Heather Schackelford can be reached on 703-308-2978. The fax phone

numbers for the organization where this application or proceeding is assigned are 703-

305-7687 for regular communications and 703-305-7687 for After Final

communications.

Any inquiry of a general nature or relating to the status of this application or

proceeding should be directed to the receptionist whose telephone number is 703-308-

1134.

Frederick L. Lagman

Page 4

Examiner

Art Unit 3673

Application/Control Number: 10/065,214

Art Unit: 3673

FLL

October 31, 2003

Page 5